ELSEVIER

Volume 232, Numbers 1–2, April 1995

Inorganica Chimica Acta

Contents

Articles

Conformational isomerism and effect of complexation on carboxylate group in two crystallographically independent coordination units of *trans*-di(4-chlorobenzoato-*O*)bis(1,3-diaminopropane-*N*,*N'*)cobalt(III) 4-chlorobenzoate dihydrate 1
M.R. Sundberg, R. Uggla, R. Kivekäs (Helsinki, Finland)

Rhodium(I) complexes with 2-(aminoalkyl)pyridines or 2-(2-aminomethyl)-1-methylpyrrol. Crystal structure of $RhCl(C_8H_{12})(C_7N_2H_{12})$ and $[Rh(C_8H_{12})(C_7N_2H_{10})][Rh(C_8H_{12})Cl_2]$ 9
M.A. Garralda, R. Hernández, L. Ibarlucea (San Sebastián, Spain), M.I. Arriortua, M.K. Urtiaga (Bilbao, Spain)

Synthesis, structure and spectroscopic properties of novel metal–metal bonded manganese–ruthenium complexes with α-diimine ligands. X-ray structure of $[(CO)_5Mn–Ru(Me)(CO)_2(\sigma(N),\sigma(N')$-iPr-PyCa)] (iPr-PyCa = pyridine-2-carbaldehyde-*N*-isopropylimine) 19
H.A. Nieuwenhuis, A. van Loon, M.A. Moraal, D.J. Stufkens, A. Oskam, K. Goubitz (Amsterdam, Netherlands)

On the photopolymerization of carbon disulfide 27
F. Cataldo (Rome, Italy)

Pentahalophenyl ethylxanthate complexes of platinum(II). Structures of $(NBu_4)[Pt(C_6F_5)_2(S_2COEt)]$ and $(NBu_4)_2$-$\{Pt_4(C_6F_5)_8[(\mu_3\text{-}S)SCOEt]_2\}$. Unprecedented coordination of the xanthate ligands in the tetranuclear complex 35
R. Usón, J. Forniés, L.R. Falvello, M. Tomás, I. Ara, I. Usón (Zaragoza, Spain)

Ligand–cluster reactivity and structure relationship; the synthesis, structural characterization and properties of two new Mo–Cu–S cluster compounds 43
S.-F. Lu, H.-B. Chen, J.-Q. Huang, Q.-J. Wu, Q.-L. Sun, J. Li, J.-X. Lu (Fuzhou, Fujian, China)

Crystal structure and magnetic properties of $[NMe_4]_4[Mn_2(C_3S_5)_4]$ ($C_3S_5^{2-}$ = 4,5-dimercapto-1,3-dithiole-2-thionate) . . . 51
H. Tamura, S. Tanaka, G. Matsubayashi, W. Mori (Osaka, Japan)

One-pot synthesis of $CpRe(CO)_2H_2$ and *trans*-$CpRe(CO)_2(SnPh_3)_2$ from *cis*- and *trans*-$CpRe(CO)_2Br_2$ and Ph_3SnH. Involvement of a radical-chain sequence in the formation of $CpRe(CO)_2H_2$ 57
S.W. Lee (Seoul, South Korea), K. Yang, J.A. Martin, S.G. Bott, M.G. Richmond (Denton, TX, USA)

Photoreduction of metallophthalocyanines and phthalocyanine-sensitized photoreduction of methylviologen in the presence of azaferrocene 63
J. Zakrzewski (Łódź, Poland), C. Giannotti (Gif-sur-Yvette, France)

Synthesis and spectral and electrochemical properties of 2,3,9,10,16,17,23,24-octabutylthiophthalocyaninatozinc(II) 69
K. Takahashi (Fukuoka, Japan), M. Kawashima, Y. Tomita, M. Itoh (Shimane, Japan)

Substitution reactions of dinuclear alkenyl-bridged iron–cobalt complexes with alkynylphosphines and diphosphines 75
I. Moldes, J. Ros (Bellaterra, Barcelona, Spain)

Hydrothermal synthesis and structural characterization of reduced vanadium phosphates, α-$Rb[V^{III}(HPO_4)_2]$, β-$Rb[V^{III}(HPO_4)_2]$ and $NH_4[V^{III}(HPO_4)_2]$, octahedral–tetrahedral framework solids. 83
R.C. Haushalter (Princeton, NJ, USA), Z. Wang (Syracuse, NY, USA), M.E. Thompson (Princeton, NJ, USA), J. Zubieta (Nanjing, China)

^1H NMR and protonation constants of new metal-chelating macrocycles, oxocyclopolyamines with pendant carboxymethyl groups, and the stabilities of their Mg^{2+} and Ca^{2+} complexes 91
M.B. Inoue (Tucson, AZ, USA and Hermosillo, Sonora, Mexico), P. Oram (Tucson, AZ, USA), M. Inoue (Hermosillo, Sonora, Mexico), Q. Fernando (Tucson, AZ, USA)

Spectroscopic characterization of some unstable *ortho*-semiquinone and *ortho*-quinone complexes of Mn(I) by variable-temperature thin-layer spectroelectrochemistry at optically transparent electrodes. 99
F. Hartl (Amsterdam, Netherlands)

Elsevier Science S.A.

Hydrophilic platinum complexes of *N*-2-hydroxyethyl- and *N*,*N*-di(2-hydroxyethyl)-*N'*-benzoylthiourea ligands. Crystal and molecular structure of *N*,*N*-di(2-hydroxyethyl)-*N'*-benzoylthiourea. 109
K.R. Koch, C. Sacht, S. Bourne (Cape Town, South Africa)

Metal complexes of 5-tertbutyloxycarbonylamido-1,3,4-thiadiazole-2-sulfonamide (B-H_2ats), a carbonic anhydrase inhibitor. Synthesis and characterization of the copper(II) complex. Crystal structures of B-H_2ats and the $[Cu(B\text{-ats})(NH_3)_2]_2$ dimer complex 117
J.C. Pedregosa, J. Casanova, G. Alzuet, J. Borrás (Valencia, Spain), S. García-Granda, M.R. Diaz, A. Gutierrez-Rodriguez (Oviedo, Spain)

An effectively diamagnetic oximato-bridged asymmetric dinuclear copper(II) complex with a Cu(II)–I bond 125
P. Chaudhuri, M. Winter (Bochum, Germany), U. Flörke, H.-J. Haupt (Paderborn, Germany)

Cadmium(II) complexation by a series of triazacycloalkanes ([*x*]aneN_3, $x=9$–12). An equilibrium and structural study 131
L.J. Zompa, H. Diaz, T.N. Margulis (Boston, MA, USA)

Study of the reactivity of Cd(II) with 4,6-dimethyl-2-thiopyrimidine. Crystal structure of 4,6-dimethyl-2-thiopyrimidinium trichlorocadmiatum(II) 139
R. López-Garzón, M.L. Godino-Salido, M.D. Gutiérrez-Valero (Jaén, Spain), J.M. Moreno, R. Odedra (Granada, Spain)

The reaction of the P_2N_2 Schiff base ligand en=P_2 with MI_2 salts and the reaction of the tetraiodine adduct of en=P_2 with unactivated coarse grain metal powders: a comparative study (en=P_2=*N*,*N'*-bis[(*o*-diphenylphosphino)-benzylidene]ethylenediamine; M=Mn, Co and Ni) 145
H.P. Lane, M. Watkinson, N. Bricklebank, C.A. McAuliffe, R.G. Pritchard (Manchester, UK)

Magnetic studies on the μ-oxalato nickel(II) dimers with an $[NiN_4O_2]$ environment. Crystal structure of (μ-ox)[Ni-(323-tet)]$_2(ClO_4)_2\cdot 2H_2O$ (323-tet=*N*,*N'*-bis(3-aminopropyl)-1,2-ethanediamine) 151
A. Escuer, R. Vicente, M.S. El Fallah (Barcelona, Spain), J. Jaud (Toulouse, France)

Notes

Reaction volume for the reaction of the hexaaquairon(III) ion with 4-isopropyltropolone in acidic aqueous solution 157
M. Takagi, K. Ishihara (Tokyo, Japan)

Studies on the antitumor antimony(III) aminopolycarboxylic acid chelates. Crystal structures of M[Sb(pdta)]$\cdot H_2O$ (M=Na^+, NH_4^+; pdta=propylenediaminetetraacetic acid) 161
S.-Z. Hu, L.-D. Tu, Y.-Q. Huang, Z.-X. Li (Xiamen, China)

The nature of μ_3-oxohexakis(μ-acetato)triaquatriruthenium cationic complexes isolated from aqueous perchloric acid. Crystal and molecular structure of $[Ru_3O(O_2CCH_3)_6(OH_2)_3](ClO_4)\cdot 2H_2O$ 167
G. Powell, D.T. Richens (St. Andrews, UK), A. Bino (Jerusalem, Israel)

High yield formation of $[Mo^{III}{}_4S_4(H_2O)_{12}]^{4+}$ by reaction of $[Mo^{IV}{}_3S_4(H_2O)_9]^{4+}$ with metallic lead 171
M. Brorson, J. Hyldtoft, C.J.H. Jacobsen, K.G. Olesen (Lyngby, Denmark)

Mixed Group 6 metal carbonyl complexes containing polydentate phosphine ligands 175
D.-N. Horng, C.-H. Ueng (Taipei, Taiwan)

Spin crossover complexes of iron(III) with an N_4 tetradentate Schiff base ligand 183
G. Brewer (Washington, DC, USA), J. Jasinski, W. Mahany (Keene, NH, USA), L. May, S. Prytkov (Washington, DC, USA)

Authentication of aminomethyl(hydrogen)phosphonate coordination to a main group metal: synthesis and crystal structure of $[Mg(O_3PCH_2NH_3)_2(H_2O)_2]\cdot 2H_2O$ 189
M. Lutz, G. Müller (Konstanz, Germany)

^{119}Sn Mössbauer isomer shift of octahedral tin(IV) halide complexes 195
D. Tudela, A.J. Maira (Madrid, Spain), D. Cunningham, B. Timmins (Galway, Ireland)

A caveat. Synthesis and structure of *N*,*N'*-propylenebis-(salicylideneiminato)nitrato[*O*,*O*]iron(III) 199
J.C. Fanning, X. Wang (Clemson, SC, USA), A.E. Koziol, G.J. Palenik (Gainesville, FL, USA)

Binuclear structure in the ammonium salt of gadolinium(III) diethylenetriaminepentaacetate, $(NH_4)_4[Gd_2(DTPA)_2]\cdot 6H_2O$ 203
M.B. Inoue (Hermosillo, Sonora, Mexico and Tucson, AZ, USA), M. Inoue (Hermosillo, Sonora, Mexico), Q. Fernando (Tucson, AZ, USA)

Synthesis, reactivity and structure of $[Ir_4(\mu\text{-}CO)_3(CO)_5(\mu\text{-}PPh_2pyl)(PPh_2pyl)_2]$ 207
K. Wajda-Hermanowicz, F. Pruchnik, M. Zuber, G. Rusek, E. Gałdecka (Wrocław, Poland), Z. Gałdecki (Łódź, Poland)

Copper(II), nickel(II) and iron(II) complexes of 2,6-diacetylpyridine bis{[DL-hydroxy(phenyl)acetic]hydrazone}. X-ray structure of a 1:2 metal:ligand nickel complex 211
A. Bonardi, S. Ianelli, C. Pelizzi, G. Pelizzi (Parma, Italy), C. Solinas (Sassari, Italy)

An electrochemical and spectroelectrochemical investigation of bis(2,2′-bipyridine)(2,4,6-tris(2-pyridyl)triazine)-ruthenium(II): a potential building block for supramolecular systems 217
R.M. Berger, J.R. Holcombe (Fort Wayne, IN, USA)

An organometallic polyimine copolymer prepared from $\{\eta^6$-1,4-bis(CHO)$C_6H_4\}Cr(CO)_3$ and 1,3-phenylenediamine. . . . 223
M.E. Wright (Logan, UT, USA), C.K. Lowe-Ma (China Lake, CA, USA)

The synthesis and crystal structure of a cerium(III) complex of 2,6-bis[2-formylphenoxymethyl]pyridine 227
N.A. Bailey, C.O. Rodriguez de Barbarin, D.E. Fenton, Y.-S. Ho, G.J. Humber (Sheffield, UK)

Synthesis and crystal structure of a mono- and dinickel(0) ethylene complex with 4,4′-bipyridine; $[Ni(4,4'\text{-bpy})(C_2H_4)_2]_2[Ni_2(4,4'\text{-bpy})(C_2H_4)_4]$ 231
M. Maekawa, M. Munakata, T. Kuroda-Sowa, K. Hachiya (Osaka, Japan)

Synthesis and characterization of isocyanide containing rhenium(III) complexes *trans*-$[ReCl_3(CNR)(PPh_3)_2]$ and crystal structure of *trans*-$[ReCl_3(CN\text{-}t\text{-}C_4H_9)(PPh_3)_2]$ 235
H. Spies, M. Glaser (Dresden, Germany), F.E. Hahn, T. Lügger (Berlin, Germany), D. Scheller (Dresden, Germany)

Conference Calendar 241

Author Index of Volume 232 245

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.